

TOBACCO TALLY FOR SECTION E

DSM-IV

_____ E11A	Chain smoked 3+ cigarettes in a row	BOX 1: _____
_____ E11B	Using tobacco took up a lot of time	
_____ E12C	Gave up or greatly reduced important activities because could not use tobacco	BOX 2: _____
_____ E13	Often smoked or used tobacco more than intended	BOX 3: _____
_____ E13A	Often ran out of cigarettes or tobacco sooner than intended	
_____ E15	Often wanted to stop or cut down	BOX 4: _____
_____ E15B.1	More than once unable to stop or cut down in any 12 month period	
_____ E16B	Experienced 4 or more symptoms in 24 hours after quitting or cutting down	BOX 5: _____
_____ E16E	Used tobacco to relieve or avoid symptoms that quitting would cause	
_____ E17C	Used tobacco even though caused emotional problems	BOX 6: _____
_____ E18B	Used tobacco even though caused health problems	
_____ E19	Used tobacco even though had serious illness	
_____ E20A	Needed to use more cigarettes/tobacco each day	BOX 7: _____
_____ E20C	Found tobacco had less effect than before	

ALCOHOL TALLY SHEET A

A: DSM-IIIIR

_____ F12E	Needed more alcohol to get high or drunk	BOX 1: _____
_____ F12F.4	Couldn't get high on same amount of alcohol used to drink	
_____ F13A	Often wanted to stop or cut down	BOX 2: _____
_____ F13C.1	Tried but was unable to stop or cut down	
_____ F15C	Drank more than meant to 3+ times	BOX 3: _____
_____ F16C	Drank for a longer time than wanted to 3+ times	
_____ F18B	Spent a lot of time drinking or trying to feel better after drinking	BOX 4: _____
_____ F19D	Stopped doing things with friends or missed activities because drunk or hung over 3+ times (or for a month or more)	BOX 5: _____
_____ F20D	Neglected things supposed to do when drunk 2+ days (3+ times)	BOX 6: _____
_____ F25B	Mixed alcohol & medications/drugs when knew this was dangerous 3+ times	
_____ F26F	Drove a car while drinking, arrested for drunk driving, damaged car/had accident while drinking, or ridden in a car while drinking (when driver had used alcohol/drugs) 3+ times	
_____ F26I	Under the influence when could have gotten hurt 3+ times	
_____ F31G	Had problems at school, home, or work because of drinking 3+ times	
_____ F35C	Alcohol caused accidental injuries 3+ times	
_____ F32B	Someone in family said drinking too much	BOX 7: _____
_____ F33A	Someone outside family said drinking too much 3+ times	
_____ F33C	Shoved or hit someone when drinking 3+ times	
_____ F33D	Lost friends because of drinking 3+ times	
_____ F33E	Stayed away from everyone and drank alone 3+ times	
_____ F34C	Arrested or detained by police for drinking 3+ times	
_____ F36A	Drank even though had illness that could be made worse	
_____ F37E	Drank even though drinking caused emotional problems	
_____ F46P	Experienced withdrawal symptoms (shakes + 1 from Column II)	BOX 8: _____
_____ F46T	Drank to relieve or avoid withdrawal symptoms 3+ times	BOX 9: _____

ALCOHOL TALLY SHEET B

B: DSM-IV

_____ F12E	Needed more alcohol to get high or drunk	BOX 1: _____
_____ F12F.4	Couldn't get high on same amount of alcohol used to drink	
_____ F13A	Often wanted to stop or cut down	BOX 2: _____
_____ F13C.2	Tried but was unable to stop or cut down 3+ times	
_____ F15C	Drank more than meant to 3+ times	BOX 3: _____
_____ F16C	Drank for a longer time than wanted to 3+ times	
_____ F18B	Spent a lot of time drinking or trying to feel better after drinking	BOX 4: _____
_____ F19D	Stopped doing things with friends or missed activities because drunk or hung over 3+ times (or for a month or more)	BOX 5: _____
_____ F36A	Drank even though had illness that could be made worse	BOX 6: _____
_____ F37E	Drank even though drinking caused emotional problems	
_____ F46P	Experienced 2+ withdrawal symptoms from Column III	BOX 7: _____
_____ F46T	Drank to relieve or avoid withdrawal symptoms 3+ times	

ALCOHOL TALLY SHEET C

C: ICD-10

_____ F12E	Needed more alcohol to get high or drunk	BOX 1: _____
_____ F12F.4	Couldn't get high on same amount of alcohol used to drink	
_____ F13A	Often wanted to stop or cut down	BOX 2: _____
_____ F13C.2	Tried but was unable to stop or cut down 3+ times	
_____ F15C	Drank more than meant to 3+ times	
_____ F16C	Drank for a longer time than wanted to 3+ times	
_____ F18B	Spent a lot of time drinking or trying to feel better after drinking	BOX 3: _____
_____ F19D	Stopped doing things with friends or missed activities because drunk or hung over 3+ times (or for a month or more)	
_____ F20D	Neglected things supposed to do when drunk 2+ days (3+ times)	
_____ F23A	Wanted to drink so badly that couldn't think of anything else	BOX 4: _____
_____ F25E	Negative effects from mixing alcohol and drugs when knew dangerous	BOX 5: _____
_____ F35C	Alcohol caused accidental injuries 3+ times	
_____ F36A	Drank even though had illness that could be made worse	
_____ F37E	Drank even though drinking caused emotional problems	
_____ F46P	Experienced 3+ withdrawal symptoms from Column IV	BOX 6: _____
_____ F46T	Drank to relieve or avoid withdrawal symptoms 3+ times	

DRUG TALLY SHEET A

A: DSM-III-R

COC. AMP. OP. HAL. BAR. OTH.

H11A	Needed more (DRUG) to feel an effect	_____	_____	_____	_____	_____	_____
H11B	Couldn't get high on same amount used to use	_____	_____	_____	_____	_____	_____
H12A	Often wanted to stop or cut down on (DRUG)	_____	_____	_____	_____	_____	_____
H12B	Tried but was unable to stop or cut down on (DRUG)	_____	_____	_____	_____	_____	_____
H13B	Used more (DRUG) than meant to 3+ times	_____	_____	_____	_____	_____	_____
H13D	Used (DRUG) for a longer time than wanted to 3+ times	_____	_____	_____	_____	_____	_____
H14	Spent a lot of time using (DRUG), getting (DRUG), or trying to feel better after using (DRUG)	_____	_____	_____	_____	_____	_____
H15C	Stopped doing things with friends or missed activities because of (DRUG) use 3+ times (or for a month or more)	_____	_____	_____	_____	_____	_____
H18D	Drove a car while using (DRUG), or damaged car/had accident while using (DRUG), or ridden in a car while using (DRUG) (when the driver had been using alcohol/drugs), 3+ times	_____	_____	_____	_____	_____	_____
H18F	High on (DRUG) when could have gotten hurt 3+ times	_____	_____	_____	_____	_____	_____
H24F	Had problems at school, home, or work because of (DRUG) use 3+ times	_____	_____	_____	_____	_____	_____
H27B	(DRUG) use caused accidental injuries 3+ times	_____	_____	_____	_____	_____	_____
H25E	Used (DRUG) even though (DRUG) caused (objections/loss of friend(s)/to use alone)	_____	_____	_____	_____	_____	_____
H26B	Arrested or had other problems with the police 3+ times	_____	_____	_____	_____	_____	_____
H28E	Used (DRUG) even though (DRUG) caused emotional problems	_____	_____	_____	_____	_____	_____
H33B	Experienced 2+ withdrawal symptoms	_____	_____	_____	_____	_____	_____
H33D.2	Used (DRUG) to relieve or avoid withdrawal symptoms 3+ times	_____	_____	_____	_____	_____	_____

DRUG TALLY SHEET B

B: DSM-IV

COC. AMP. OP. HAL. BAR. OTH.

H11A	Needed more (DRUG) to feel an effect	___	___	___	___	___	___
H11B	Couldn't get high on same amount of (DRUG) used to use	___	___	___	___	___	___
H12A	Often wanted to stop or cut down on (DRUG)	___	___	___	___	___	___
H12C	Tried but was unable to stop or cut down on (DRUG) 3+ times	___	___	___	___	___	___
H13B	Used more (DRUG) than meant to 3+ times	___	___	___	___	___	___
H13D	Used (DRUG) for a longer time than wanted to 3+ times	___	___	___	___	___	___
H14	Spent a lot of time using (DRUG), getting (DRUG), or trying to feel better after using (DRUG)	___	___	___	___	___	___
H15C	Stopped doing things with friends or missed activities because of (DRUG) use 3+ times (or for a month or more)	___	___	___	___	___	___
H28E	Used (DRUG) even though (DRUG) caused emotional problems	___	___	___	___	___	___
H33B	Experienced 2+ withdrawal symptoms	___	___	___	___	___	___
H33D.2	Used (DRUG) to relieve or avoid withdrawal symptoms 3+ times	___	___	___	___	___	___

DRUG TALLY SHEET C

C: ICD-10	COC.	AMP.	OP.	HAL.	BAR.	OTH.	
H11A	Needed more (DRUG) to feel an effect						___
H11B	Couldn't get high on same amount of (DRUG) used to use						___
H12A	Often wanted to stop or cut down on (DRUG)						___
H12C	Tried but was unable to stop or cut down on (DRUG) 3+ times						___
H13B	Used more (DRUG) than meant to 3+ times						___
H13D	Used (DRUG) for a longer time than wanted to 3+ times						___
H14	Spent a lot of time using (DRUG), getting (DRUG), or trying to feel better after using (DRUG)						___
H15C	Stopped doing things with friends or missed activities because of (DRUG) use 3+ times (or for a month or more)						___
H16A	Wanted to use (DRUG) so badly that couldn't think of anything else						___
H27B	(DRUG) use caused accidental injuries 3+ times						___
H28E	Used (DRUG) even though it caused emotional problems						___
H33B	Experienced 2+ withdrawal symptoms						___
H33D.2	Used (DRUG) to relieve or avoid withdrawal symptoms 3+ times						___

TOBACCO TALLY FOR SECTION E

DSM-IV

_____ E11A	Chain smoked 3+ cigarettes in a row	BOX 1: _____
_____ E11B	Using tobacco took up a lot of time	
_____ E12C	Gave up or greatly reduced important activities because could not use tobacco	BOX 2: _____
_____ E13	Often smoked or used tobacco more than intended	BOX 3: _____
_____ E13A	Often ran out of cigarettes or tobacco sooner than intended	
_____ E15	Often wanted to stop or cut down	BOX 4: _____
_____ E15B.1	More than once unable to stop or cut down in any 12 month period	
_____ E16B	Experienced 4 or more symptoms in 24 hours after quitting or cutting down	BOX 5: _____
_____ E16E	Used tobacco to relieve or avoid symptoms that quitting would cause	
_____ E17C	Used tobacco even though caused emotional problems	BOX 6: _____
_____ E18B	Used tobacco even though caused health problems	
_____ E19	Used tobacco even though had serious illness	
_____ E20A	Needed to use more cigarettes/tobacco each day	BOX 7: _____
_____ E20C	Found tobacco had less effect than before	

TALLY SHEET FOR SECTION I

ONLY COUNT ITEMS CODED 5 (Not only when using Alc/Drugs)

- _____ I3C/I4C Often skipped school and/or often cut classes (ONSET BEFORE AGE 13)
- _____ I5C Often sneaked out of the house (ONSET BEFORE AGE 13)
- _____ I6E Often stayed out later than supposed to (ONSET BEFORE AGE 13; 2+ hours past curfew, 3 or more times)
- _____ I7C Ran away from home more than once (not relating to sexual/physical abuse)
- _____ I7D Ran away from home for 7 or more days (not relating to sexual/physical abuse)
- _____ I8A/B Often lied/often gotten in trouble for lying
- _____ I9B Often deceived others
- _____ I10A Often blamed for cheating
- _____ I14C/E Stole money or things from family or friends/shoplifted from store or from others/used a credit card without permission/signed someone else's name on a check
- _____ I15A Stole money or property by using force, threatening, or picking on others
- _____ I16A Broke into someone's house, building, or car
- _____ I17B Set fire on purpose (wanted to damage property)
- _____ I18A Wrecked or destroyed property on purpose
- _____ I19A Hurt animals on purpose
- _____ I20A/B Often bullied others/people complained that often bullied others
- _____ I21D/G Physically hurt sibling in fight/often started physical fights
- _____ I22A Used a weapon to hurt someone
- _____ I23C Hurt someone on purpose (at least once)
- _____ I24 Made someone do sexual things

TALLY SHEET FOR SECTION J

DSM-III-R, DSM-IV	CURRENT	PAST
BOX A: J1C1/J7C1 Felt sad or down more than usual	_____	_____
J1C2/J7C2 Often felt like crying	_____	_____
J1C5/J7C5 Felt crabby or angry more than usual	_____	_____
BOX B: J1C3/J7C3 Felt like nothing seemed fun anymore	_____	_____
J1C4/J7C4 Didn't want to do things that usually enjoy	_____	_____
BOX C: J1C6/J7C6 Felt more tired than usual	_____	_____
BOX D: J19A/J19A1 Ate less or felt a lot less hungry than usual	_____	_____
J20A/J20A1 Ate more or felt a lot more hungry than usual	_____	_____
BOX E: J21A A lot of trouble falling asleep	_____	_____
J21B Trouble sleeping through the night	_____	_____
J21C Woke up very early in the morning	_____	_____
J21D Slept more than usual	_____	_____
BOX F: J22 A lot more trouble keeping still than usual	_____	_____
J23 Felt slowed down	_____	_____
BOX G: J24 Felt like wasn't any good	_____	_____
J25 Felt guilty or at fault for a lot of things	_____	_____
J25A Felt like nothing would work out	_____	_____
BOX H: J26A/J26B Trouble paying attention	_____	_____
J27A/J27B Trouble making up mind about things	_____	_____
BOX I: J28A Things seemed so bad that wished was dead	_____	_____
J28B Thought a lot about being dead or dying	_____	_____
J28C Made a plan about how to kill self	_____	_____
J28D Tried to kill self	_____	_____

MARIJUANA TALLY SHEET A

A: DSM-IIIIR

_____ G8A	Needed more marijuana to get high	BOX 1: _____
_____ G8B	Couldn't get high on same amount of marijuana used to use	
_____ G9B	Wanted to stop or cut down 3+ times	BOX 2: _____
_____ G9C	Tried but was unable to stop or cut down	
_____ G10B	Used more marijuana than meant to 3+ times	BOX 3: _____
_____ G10D	Used marijuana for a longer time than wanted to 3+ times	
_____ G11	Spent a lot of time using marijuana, getting marijuana, or trying to feel better after using marijuana	BOX 4: _____
_____ G12C	Stopped doing things with friends or missed activities because of marijuana use 3+ times (or for a month or more)	BOX 5: _____
_____ G15D	Drove a car while using marijuana, damaged car/had accident while using marijuana, or ridden in a car while using marijuana (when driver had used alcohol/drugs), 3+ times	BOX 6: _____
_____ G15F	High on marijuana when could have gotten hurt 3+ times	
_____ G20F	Had problems at school, home, or work because of marijuana use 3+ times	
_____ G23B	Marijuana use caused accidental injuries 3+ times	
_____ G21A	Family, friends, or others said shouldn't be using marijuana 3+ times	BOX 7: _____
_____ G21B	Lost friends because of using marijuana 3+ times	
_____ G21C	Stayed away from everyone and used marijuana alone 3+ times	
_____ G22B	Arrested or had other problems with police for marijuana use 3+ times	
_____ G24E	Used marijuana even though marijuana caused emotional problems	
_____ G29C	Used marijuana to relieve or avoid withdrawal symptoms 3+ times	BOX 8: _____
_____ G29D	Experienced 2+ withdrawal symptoms	BOX 9: _____

MARIJUANA TALLY SHEET B

B: DSM-IV

_____ G8A	Needed more marijuana to get high	BOX 1: _____
_____ G8B	Couldn't get high on same amount of marijuana used to use	
_____ G9B	Wanted to stop or cut down 3+ times	BOX 2: _____
_____ G9D	Tried but was unable to stop or cut down 3+ times	
_____ G10B	Used more marijuana than meant to 3+ times	BOX 3: _____
_____ G10D	Used marijuana for a longer time than wanted to 3+ times	
_____ G11	Spent a lot of time using marijuana, getting marijuana, or trying to feel better after using marijuana	BOX 4: _____
_____ G12C	Stopped doing things with friends or missed activities because of marijuana use 3+ times (or for a month or more)	BOX 5: _____
_____ G24E	Used marijuana even though marijuana caused emotional problems	BOX 6: _____
_____ G29C	Used marijuana to relieve or avoid withdrawal symptoms 3+ times	BOX 7: _____
_____ G29D	Experienced 2+ withdrawal symptoms	

MARIJUANA TALLY SHEET C

C: ICD-10

_____ G8A	Needed more marijuana to get high	BOX 1: _____
_____ G8B	Couldn't get high on same amount of marijuana used to use	
_____ G9B	Wanted to stop or cut down 3+ times	BOX 2: _____
_____ G9D	Tried but was unable to stop or cut down 3+ times	
_____ G10B	Used more marijuana than meant to 3+ times	
_____ G10D	Used marijuana for a longer time than wanted to 3+ times	
_____ G11	Spent a lot of time using marijuana, getting marijuana, or trying to feel better after using marijuana	BOX 3: _____
_____ G12C	Stopped doing things with friends or missed activities because of marijuana use 3+ times (or for a month or more)	
_____ G13A	Wanted to use marijuana so badly that couldn't think of anything else	BOX 4: _____
_____ G23B	Marijuana use caused accidental injuries 3+ times	BOX 5: _____
_____ G24E	Used marijuana even though marijuana caused emotional problems	
_____ G29C	Used marijuana to relieve or avoid withdrawal symptoms 3+ times	BOX 6: _____
_____ G29D	Experienced 2+ withdrawal symptoms	